

REFERENCES

- Aas W. and Breivik K. [2004] Heavy Metals and POPs measurements, 2002. EMEP/CCC Report 7/2004. Norwegian Institute for Air Research, Kjeller, Norway.
- Acker K., Moller D., Wieprecht W., Kalass D., Auel R. [1998] Investigations of ground-based clouds at the Mt. Brocken. Fresenius. *Anal. Chem.* **361**, 59-64.
- Andersson M., Wängberg I., Gårdfeldt K., Munthe J. [2004] Investigation of the Henry's low coefficient for elemental mercury. Proceedings of the 7th Conference "Mercury as a global pollutant". RMZ – Materials and Geoenvironment, Ljubljana, June 2004.
- Andrinache C. [2003] Estimated variability of below-cloud aerosol removal by rainfall for observed aerosol size distributions. *Atmos. Chem. Phys.* **3**, 131-143.
- Andrinache C. [2004] Estimates of sulfate aerosol wet scavenging coefficient for locations in the Eastern United States. *Atmos. Environ.* **38**, 795-804.
- Ariya P.A., Khalizov A., Gidas A. [2002] Reactions of gaseous mercury with atomic and molecular halogens: kinetics, product studies, and atmospheric implications. *J. Phys. Chem.* **106**, 7310-7320.
- Asman W.A.H. [1995] Parameterization of below-cloud scavenging of highly soluble gases under convective conditions. *Atmos. Environ.* **29**, 1359-1368.
- Axenfeld F., Münch J., Pacyna J.M. [1991] Belastung von Nord- und Ostsee durch ökologisch gefährliche Stoffe am Beispiel atmosphärischer Quecksilberkomponenten. Teilprojekt: Europäische Test-Emissionensdatenbasis von Quecksilber-Komponenten für Modellrechnungen. Dornier, Report 104 02 726, p. 99.
- Banic C. M., Schroeder W. H., and Steffen A. [1999] Vertical distribution of total gaseous mercury in Canada. Book of abstracts, 5th International Conference on Mercury as a Global Pollutant, 23-28 May 1999, Rio de Janeiro.
- Barries L.A. [1985] Scavenging ratios, wet deposition, and in-cloud oxidation: an application to the oxides of sulphur and nitrogen. *J. Geophys. Res.* **90**(D3), 5789-5799.
- Behrenfeld M.J. and Falkowski P.G. [1997] Photosynthetic derived from satellite-based chlorophyll concentration. *Limnol. Oceanogr.*, **42**(1), 1-20.
- Berdowski J.J.M., Baas J., Bloos J.P.J., Visschedijk A.J.H., Zandveld P.Y.J. [1997] The European Emission Inventory of Heavy Metals and Persistent Organic Pollutants for 1990. TNO Institute of Environmental Sciences, Energy Research and Process Innovation, UBA-FB report 104 02 672/03, Apeldoorn, 239 p.
- Berdowski J.J.M., Pulles M.P.J., Visschedijk A.J.H. [1998]. Incremental cost and remaining emission in 2010 of Heavy Metals (HM) resulting from the implementation of the draft HM Protocol under the UN/ECE Convention on Long Range Transboundary Air Pollution, TNO-MEP – R 98/020, Apeldoorn, The Netherlands, 69 p.
- Berg T., Sekkester S., Steines E., Valdal A., Wibetoe G. [2001] Arctic springtime depletion of mercury as observed in the European Arctic. Book of Abstracts, 6th International Conference on Mercury as a Global Pollutant, 15-19 October 2001, Minamata, Japan.
- Bott A. [1989a] A positive definite advection scheme obtained by nonlinear renormalization of the advective fluxes. *Mon. Wea. Rev.* **117**, 1006-1015.
- Bott A. [1989b] Reply to comment on "A positive definite advection scheme obtained by nonlinear renormalization of the advective fluxes." *Mon. Wea. Rev.* **117**, 2633-2636.
- Bott A. [1992] Monotone flux limitation in the area-preserving flux-form advection algorithm. *Mon. Wea. Rev.* **120**, 2592-2602.
- Bott A. [1993] The monotone area-preserving flux-form advection algorithm: Reducing the time-splitting error in two-dimensional flow fields. *Mon. Wea. Rev.* **121**, 2637-2641.
- Brandt J., Christensen J.H., Frohn L.M. [2002] Modelling transport and deposition of caesium and iodine from the Chernobyl accident using the DREAM model. *Atmos. Chem. Phys.* **2**, 397-417.

- Brook J.R., Zhang L., Di-Giovani F., Padro J. [1999] Description and evaluation of a model of deposition velocities for routine estimates of air pollutant dry deposition over North America. Part I: model development. *Atmos. Environ.* **33**, 5037-5051.
- Brosset C., Lord E. [1991] Mercury in precipitation and ambient air – a new scenario. *WASP* **56**, 493-506
- Dabdub D., Seinfeld J. H. [1994] Numerical advective schemes used in air quality models – sequential and parallel implementation. *Atmos. Environ.* **28**, 3369-3385.
- Easter R. C. [1993] Two modified versions of Bott's positive-definite numerical advection scheme. *Mon. Wea. Rev.* **121**, 297-304.
- Ebinghaus R., Tripathi R. M., Walischlager D., and Lindberg S. E. [1999] Natural and anthropogenic mercury sources and their impact on the air-surface exchange of mercury on regional and global scales. In: Ebinghaus R., Turner R. R., Lacerda de L. D., Vasiliev O., and Salomons W. (Eds.) Mercury contaminated sites. Springer, Berlin, 3-50.
- Ebinghaus R., Kock H. H., Temme C., Einax J. W., Löwe A. G., Richter A., Birrows J. P., Schroeder W. H. [2002] Antarctic Springtime Depletion of Atmospheric Mercury. *Environ. Sci. Technol.* **36**, 1238-1244.
- Erisman J.W., van Pul A., Wyers P. [1994] Parameterization of surface resistance for the quantification of atmospheric deposition of acidifying pollutants and ozone. *Atmos. Environ.* **28**, 2595-2607.
- ESQUAD [1994] The Impact of Atmospheric Deposition of Non-Acidifying Pollutants on the Quality of European Forest Soils and the North Sea. Main Report of the ESQUAD project, K.D. van den Hout (ed.), IMW-TNO report R 93/329, 143 p.
- Ferrara R., Mazzolai B., Lanzillotta E., Nucaro E., Pirrone N. [2000] Temporal trends in gaseous mercury evasion from the Mediterranean seawaters. *Sci. Tot. Env.* **259**, 183-190.
- Fitzgerald J.W. [1975] Approximation formulas for the equilibrium size of an aerosol particle as a function of its dry size and composition and the ambient relative humidity. *J. Appl. Meteorol.* **14(6)**, 1044-1049.
- Fitzgerald W.F., Mason R.P., Vandal G.M. [1991] Atmospheric cycling and air-water exchange of mercury over mid-continental lacustrine regions. *WASP* **56**, 745-767.
- Fitzgerald W.F., Mason R.P. [1996] The global mercury cycle: oceanic and anthropogenic aspects. In: Baeyens W., Ebinghaus R. Vasiliev O. (Eds.), Global and Regional Mercury Cycles: Sources, Fluxes and Mass Balances. NATO-ASI-Series, Kluwer Academic Publishers, Dordrecht, The Netherlands, 85-108.
- Garrat J.R. [1999] *The atmospheric boundary layer*. Cambridge University Press. 316 p.
- Giorgi F. [1986] A particle dry deposition parameterization scheme for use in tracer transport models. *J. Geophys. Res.* **91**, 9794-9806.
- Gårdfeldt K., Sommar J., Strömberg D., Feng X. [2001] Oxidation of atomic mercury by hydroxyl radicals and photoinduced decomposition of methylmercury in the aqueous phase. *Atmos. Environ.* **35**, 3039-3047.
- Gårdfeldt K., Sommar J., Ferrara R., Ceccarini C., Lanzillotta E., Munthe J., Wängberg I., Lindqvist O., Pirrone N., Sprovieri F., Pesenti E., Strömberg D. [2003] Evasion of mercury from coastal and open waters of the Atlantic Ocean and the Mediterranean Sea. *Atmos. Environ.* **37**, S73-S84.
- Grell G.A., Dudhia J., Stauffer D.R. [1995] A description of the Fifth-Generation Penn State/NCAR Mesoscale Model (MM5). NCAR Technical note TN-398. National Center for Atmospheric Research, Boulder, Colorado.
- Gusev A., Ilyin I., Petersen G., van Pul A. and Syrakov D. [2000] Long-range transport model intercomparison studies. Model intercomparison study for cadmium. EMEP/ESC-E Report 2/2000, Meteorological Synthesizing Centre – East, Moscow, Russia.
- Hall B. [1995] The gas phase oxidation of mercury by ozone. *WASP* **80**, 301-315.
- Hjellbrekke A.-G. [2002] Data Report 2000 Acidifying and eutrophying compounds. Part 2: Monthly and seasonal summaries. EMEP/CCC Report 7/2002. Norwegian Institute for Air Research, Kjeller, Norway.
- Hong, S.-Y., Pan H.-L., [1996] Nonlocal boundary layer vertical diffusion in a medium-range forecast model. *Mon. Wea. Rev.*, **124**, 2322-2339.

- Ilyin I., Ryaboshapko A., Afinogenova O, Berg T., Hjellbrekke A-G. [2002] Lead, cadmium and mercury transboundary pollution in 2000. MSC-E/CCC Technical Report 5/2002, Meteorological Synthesizing Centre - East, Moscow, Russia.
- Ilyin I., Travnikov O., Aas W., Uggerud H.Th. [2003] Heavy metals: transboundary pollution of the environment. EMEP Status Report 2/2003, Meteorological Synthesizing Centre - East, Moscow, Russia.
- Jacobson M. Z. [1999] *Fundamentals of atmospheric modeling*. Cambridge University Press. 656 p.
- Jylhä K. [1991] Empirical scavenging coefficients of radioactive substances released from Chernobyl. *Atmos. Environ.* **25A**, 263-270.
- Kasper A., Puxbaum H., Brantner B., Paleczek S. [1998] Scavenging efficiency of lead and sulfate in supercooled clouds at Sonnblick, 3106 m a.s.l., Austria. *Atmos. Environ.* **23**, 3967-3974.
- Kain J.S. [2002] The Kain–Fritsch Convective Parameterization: An Update. *J. Appl. Meteorol* **43**(1), 170–181.
- Keene W.C., M. Aslam, K. Khalil, D.J. Erickson, III , A. McCulloch, T.E. Graedel, J.M. Lobert, M.L. Aucott, S.L. Gong, D.B. Harper, G. Kleiman, P. Midgley, R.M. Moore, C. Seuzaret, W.T. Sturges, C.M. Benkovitz, V. Koropalov, L.A. Barrie, and Y.F. Li [1999] Composite global emissions of reactive chlorine from anthropogenic and natural sources: Reactive Chlorine Emissions Inventory. *J. Geophys. Res.* **104**(D7), 8429-8440.
- Kim J. P., Fitzgerald W. F. [1986] Sea-air partitioning of mercury in the Equatorial Pacific Ocean. *Science* **231**, 1131-1133.
- Kriews M. and Schrems O. [1998] Spatial distribution of trace elements in aerosols over the Atlantic ocean. *J. Aerosol Sci.* **29**, S735-S736.
- Lamborg C. H., Fitzgerald W. F., Vandal G. M., Rolfhus K. R. [1995] Atmospheric mercury in northern Wisconsin: sources and species. *WASP* **80**, 189-198.
- Lamborg C. H., Fitzgerald W. F., O'Donnell J., Torgersen T. [2002] A non-steady-state compartmental model of global-scale mercury biogeochemistry with interhemispheric atmospheric gradients. *Geochimica et Cosmochimica Acta* **66**(7), 1105-1118.
- Lin C.-J., Pehkonen S. O. [1999] The chemistry of atmospheric mercury: a review. *Atmos. Environ.* **33**, 2067-2079.
- Lindberg S. E., Brooks S., Lin C.-J., Scott K. J., Landis M. S., Stevens R. R., Goodsite M., Richter A. [2002] Dynamic oxidation of gaseous mercury in the Arctic troposphere at polar sunrise. *Environ. Sci. Technol.* **36**, 1245-1256.
- Lu J. Y., Schroeder W. H., Barrie L. A., Steffen A., Welch H. E., Martin K., Lockhart W. L., Hunt R. V., Boila G., Richter A. [2001] Magnification of atmospheric mercury deposition to polar regions in springtime: the link to tropospheric ozone depletion chemistry. *Geophys. Res. Letters.* **28**(17), 3219-3222.
- Lurie Yu. Yu. [1971] *Handbook for Analytical Chemistry*. Khimiya, Moscow, 454 p.
- Marchuk G. I. [1975] *Methods of numerical mathematics*. Springer-Verlag, New York. 316 p.
- McRae G. J., Goodin W. R., Seifeld J. H. [1982] Numerical solution of the atmospheric diffusion equation for chemically reacting flows. *J. Comp. Phys.* **45**, 1-42.
- Milford J. B., Davidson C. I. [1985] The size of particulate trace elements in the atmosphere – a review. *JAPCA* **35**(12), 1249-1260.
- Munthe J. [1992] The aqueous oxidation of elemental mercury by ozone. *Atmos. Environ.* **26A**, 1461-1468.
- Nriagu J.O. [1989] A global assessment of natural sources of atmospheric trace metals. *Nature* **338**, 47-49.
- Odman M. T. and Russell A. G. [2000] Mass conservative coupling of non-hydrostatic meteorological models with air quality models. In: Gryning S.-E. and Batchvarova E. (Eds.) *Air pollution modelling and its application XIII*. Kluwer Academic/Plenum Publishers, New York, 651-660.
- Okita T., Hara H and Fukuzaki N. [1996] Measurements of atmospheric SO₂ and SO₄, and determination of the wet scavenging of sulfate aerosol for the winter monsoon season over the sea of Japan. *Atmos. Environ.* **30**, 3733-3739.
- Pacyna J.M., Münch J. [1991] Anthropogenic mercury emission in Europe. *WASP* **56**, 51-61.

- Pacyna E.G., Pacyna J.M., Pirrone N. [2001]. European emissions of atmospheric mercury from anthropogenic sources in 1995. *Atmos. Environ.* **35**, 2987-2996.
- Pacyna, J. M., Pacyna, E. G., Steenhuisen, F., Wilson, S. [2003] Mapping 1995 global anthropogenic emissions of mercury. *Atmos. Environ.* **37**, Supplement No. 1, 109-117.
- Pal B., Ariya P. [2004] Atmospheric transformation of elemental mercury upon hydroxyl radicals under near tropospheric conditions. Proceedings of the 7th Conference "Mercury as a global pollutant". RMZ – Materials and Geoenvironment. Ljubljana, June 2004.
- Penner J.E., Atherton C.S., Dignon J., Ghan S.J., Walton J.J. and Hameed S. [1991] Tropospheric nitrogen: A three-dimensional study of sources, distributions, and deposition. *J. Geophys. Res.* **96**(D1), 959-990.
- Pekar M. [1996] Regional models LPMOD and ASIMD. Algorithms, parametrization and results of application to Pb and Cd in Europe scale for 1990. EMEP/MSC-E Technical Report 9/96, Meteorological Synthesizing Centre – East, Moscow, Russia.
- Peters K., Eiden R. [1992] Modelling the dry deposition velocity of aerosol particles to a spruce forest. *Atmos. Environ.* **26**, 2555-2564.
- Petersen G., Munthe J., Pleijel K., Bloxam R. and A.V.Kumar [1998] A comprehensive Eulerian modeling framework for airborne mercury species: Development and testing of the tropospheric chemistry module (TCM). *Atmos. Environ.* **32**(5), 829-843.
- Petersen G., Iverfeldt A. and Munthe J. [1995] Atmospheric mercury species over central and northern Europe. Model calculations and comparison with observations from the nordic air and precipitation network for 1987 and 1988. *Atmos. Environ.* **29**, 47-67.
- Pleijel K., and Munte J. [1995] Modeling the atmospheric mercury cycle - chemistry in fog droplets. *Atmos. Environ.* **29**, 1441-1457.
- Posch M., de Smet P.A.M., Hettelingh J.-P., Downing R.J. [2001] Modelling and mapping of critical thresholds in Europe. CCE Status Report. Coordination Center for Effects, National Institute for Public Health and the Environment, Bilthoven, Netherlands.
- Pryor S.C., Barthelmie R.J., Geernaert L.L.S., Ellermann T., Perry K.D. [1999] Speciated particle dry deposition to the sea surface: results from ASEPS '97. *Atmos. Environ.* **33**, 2045-2058.
- Ragland K.W., Wilkening K.E. [1983] Intermediate-range grid model for atmospheric sulfur dioxide and sulfate concentrations and depositions. *Atmos. Environ.* **17**, 935-947.
- Ryaboshapko A., Ilyin I., Gusev A., Afinogenova O., Berg T. and A.G. Hjellbrekke [1999] Monitoring and modelling of lead, cadmium and mercury transboundary transport in the atmosphere of Europe. Joint report of EMEP centers MSC-E and CCC. EMEP/MSC-E Report 1/99, Meteorological Synthesizing Centre – East, Moscow, Russia.
- Ryaboshapko A. and Ilyin I. [2001] Mercury re-emission to the atmosphere in Europe. In: Transport and chemical transformation in the troposphere. Proceedings of EUROTRAC Symposium 2000, Garmisch-Partenkirchen, Germany, 27-31 March 2000 (issued on enclosed compact disc).
- Ryaboshapko A., Ilyin I., Bullock R., Ebinghaus R., Lohman K., Munthe J., Petersen G., Segneur C., Wangberg I. [2001] Intercomparison study of numerical models for long-range atmospheric transport of mercury. Stage I: Comparison of chemical modules for mercury transformations in a cloud/fog environment. EMEP/MSC-E Technical report 2/2001, Meteorological Synthesizing Centre – East, Moscow, Russia.
- Ryaboshapko A., Artz R., Bullock R., Christensen J., Cohen M., Draxler R., Ilyin I., Munthe J., Pacyna J., Petersen G., Syrakov D., and Travnikov O. [2005] Intercomparison study of numerical models for long-range atmospheric transport of mercury. Stage III. Comparison of modelling results with long-term observations and comparison of calculated items of regional balances. EMEP/MSC-E Technical Report 1/2005, Meteorological Synthesizing Centre – East, Moscow, Russia.
- Reisner, J., Rasmussen R.J., and Bruintjes R.T. [1998] Explicit forecasting of supercooled liquid water in winter storms using the MM5 mesoscale model. *Quart. J. Roy. Meteor. Soc.* **124B**, 1071-1107.
- Ruijgrok W., Tieben H., Eisinga P. [1997] The dry deposition of particles to a forest canopy: A comparison of model and experimental results. *Atmos. Environ.* **31**, 399-415
- Sander R. [1997] Henry's law constants available on the Web. *EUROTRAC Newsletter* **18**, 24-25 (www.mpch-mainz.mpg.de/~sander/res/henry).

- Schroeder W. H. and Munthe J. [1998] Atmospheric mercury - an overview. *Atmos. Environ.* **32**, 809-822.
- Schroeder W., Anlauf K., Barrie L. A., Lu J., Steffen A., Schneeberger D., Berg T. [1998] Arctic springtime depletion of mercury. *Nature* **394**, 331-332
- Scott B. C. [1982] Theoretical estimates of the scavenging coefficient for soluble aerosol particles as a function of precipitation type, rate and attitude. *Atmos. Environ.* **16**, 1753-1762.
- Seigneur C., Wrobel J. and Constantinou E. [1994] A chemical kinetic mechanism for atmospheric inorganic mercury. *Environ. Sci. and Technol.* **28**(9), 1589-1597.
- Seigneur C., Karamchandani P., Lohman K., Vijayaraghavan K., and Shia R.-L. [2001] Multiscale modeling of the atmospheric fate and transport of mercury. *J. Geophys. Res.* **106**(D21), 27795-27809.
- Seinfeld J.H., Pandis S.N. [1997] *Atmospheric chemistry and physics: From air pollution to climate change*, John Wiley, New York.
- Simpson D., Fagerli H., Jonson J.E., Tsyro S., Wind P., Tuovinen J-P. [2003] Transboundary acidification, eutrophication and ground level ozone in Europe. Part I: Unified EMEP Model Description. EMEP Report 1/2003, Meteorological Synthesizing Centre – West, Oslo, Norway.
- Slinn S. A., Slinn W.G.N. [1980] Predictions for particle deposition on natural waters. *Atmos. Environ.* **14**, 1013-1016.
- Slinn W.G.N. [1982] Predictions for particle deposition to vegetative canopies. *Atmos. Environ.* **16**, 1785-1794.
- Smolarkiewicz P. K. [1982] The threedimensional Crowley advection scheme. *Mon. Wea. Rev.* **110**, 1968-1983.
- Sofiev M., Maslyayev A. and Gusev A. [1996] Heavy metal model intercomparison. Methodology and results for Pb in 1990. EMEP/MSC-E Report 2/1996, Meteorological Synthesizing Centre - East, Moscow, Russia.
- Sommar J., Gårdfeldt K., Feng X., Lindquist O. [1999] Rate coefficients for gas-phase oxidation of elemental mercury by bromine and hydroxyl radicals. In: Mercury as a Global Pollutant. 5th International Conference, May 23-28, 1999, Rio de Janeiro, Brazil. Book of abstracts, p. 87.
- Sommar J., Gårdfeldt K., Strömberg D., Feng X. [2001] A kinetic study of the gas-phase reaction between the hydroxyl radical and atomic mercury. *Atmos. Environ.* **35**, 3049-3054.
- Spivakovskiy C.M., J.A.Logan, S.A.Montzka, Y.J.Balkanski, M.Foreman-Fowler, D.B.A.Jones, L.W.Horowitz, A.C.Fusco, C.A.M.Brenninkmeijer, M.J.Prather, S.C.Wofsy, M.B.McElroy [2000] Three-dimensional climatological distribution of tropospheric OH: Update and evaluation, *J. Geophys. Res.* **105**, 8931-8980.
- Tokos J. J. S., Hall B., Calhoun J. A., and Prestbo E. M. [1998] Homogeneous gas-phase reaction of Hg⁰ with H₂O₂, O₃, CH₃I, and (CH₃)₂S: implications for atmospheric Hg cycling. *Atmos. Environ.* **32**, 823-827.
- Travnikov O. [2000] Uncertainty analysis of heavy metals long-range transport modelling. EMEP/MSC-E Technical note 9/2000, Meteorological Synthesizing Centre - East, Moscow, Russia.
- Travnikov O., Ryaboshapko A. [2002]. Modelling of mercury hemispheric transport and depositions. EMEP/MSC-E Technical Report 6/2002, Meteorological Synthesizing Centre - East, Moscow, Russia.
- US EPA [1997] Mercury Study Report to Congress. Vol. III, Fate and Transport of Mercury in the Environment. US-EPA-452/R-97003.
- Vinogradova A.A. [2001] Seasonal variation in atmospheric deposition over the Laptev Sea. *J. Aerosol Sci.*, Abstracts to European Aerosol Conference, S1095-1096.
- Walton J.J., MacCracken M.C. and Ghan S.J. [1988] A global-scale Lagrangian trace species model of transport, transformation, and removal processes. *J. Geophys. Res.* **93**(D7), 8339-8354.
- Wesely M.L., Cook D.R., Hart R.L. [1985] Measurements and parameterization of particulate sulfur dry deposition over grass. *J. Geophys. Res.* **90**(D1), 2131-2143.
- Wesely M.L. [1989] Parameterization of surface resistances to gaseous dry deposition in regional-scale numerical models. *Atmos. Environ.* **23**, 1293-1304.
- Wesely M.L. and Hicks B.B. [2000] A review of the current status of knowledge on dry deposition. *Atmos. Environ.* **34**, 2261-2282.
- Weisel C.P., Duce R.A., Fasching J.L., Heaton R.W. [1984] Estimates of the transport of trace metals from the ocean to the atmosphere. *J. Geophys. Res.* **89**(D7), 11607-11618.

- Williams R.M. [1982] A model for the dry deposition of particles to natural water surfaces. *Atmos. Environ.* **16**, 1933-1938.
- Wu J. [1979] Oceanic whitecaps and sea state. *J. Phys. Oceanogr.* **9**, 1064-1068.
- Yanenko N. N. [1971] *The method of fractional steps. The solution of problems of mathematical physics in several variables.* Springer-Verlag, New York. 160 p.
- Zhang L., Gong S., Padro J., Barrie L. [2001] A size-segregated particle dry deposition scheme for an atmospheric aerosol module. *Atmos. Environ.* **35**, 549-560.