

REFERENCES

- Atmosphere Handbook [1991]. L., Hydrometeoizdat, p.179 (in Russian).
- Anderson P.N. and R.A. Hites [1996] OH Radical Reactions: The Major Removal Pathway for Polychlorinated Biphenyls from the Atmosphere, *Environ. Sci. Technol.*, v. 30, No. 5, pp. 1756 – 1763.
- Baart A., J.Berdowski, J. van Jaarsveld and K.Wulffraat [1995] Calculation of atmospheric deposition of contaminants on the North Sea. TNO-MEP-R 95/138, Delft, The Netherlands.
- Berdowski J.J.M., J. Baas, J.P.J. Bloos, A.J.H. Visschedijk and P.Y.J.Zandveld [1997] The European Emission Inventory of Heavy Metals and Persistent Organic Pollutants for 1990. TNO Institute of Environmental Sciences, Energy Research and Process Innovation, UBA-FB report 104 02 672/03, Apeldoorn, 239 p.
- Berg T. and A.-G.Hjellbrekke [1998] Heavy metals and POPs within the ECE region. Supplementary data for 1989-1996. Kjeller, Norwegian Institute for Air Research (NILU EMEP/CCC-Report 7/98).
- Berg T., A.-G. Hjellbrekke and J.E. Skjelmoen [1996]: Heavy metals and POPs within the ECE region. EMEP/CCC-Report 8/96. Norwegian Institute for Air Research.
- Berg T., A.-G. Hjellbrekke and N. Ritter [1997] Heavy metals and POPs within the ECE region. Additional data. EMEP/CCC-Report 9/97, ref. O-95038, August.
- Berg T., A.-G.Hjellbrekke and R.Larson [2000] Heavy metals and POPs within the ECE region 1998. Kjeller, Norwegian Institute for Air Research (NILU EMEP/CCC-Report 2/2000).
- Berg T., A.-G. Hjellbrekke and Larsen R. [2001] Heavy metals and POPs within the EMEP region 1999. EMEP/CCC –Report 9/2001.
- Berg T., A.-G. Hjellbrekke and R. Larsen [2002] Heavy metals and POPs within the EMEP region 2000., EMEP/CCC-Report 9/2002.
- Beyer A.D. Mackay M. Matthies, F. Wania and E. Webster [2000] Assessing long-range transport potential of persistent organic pollutants. *Environ. Sci. Tech.*, v.34, pp. 699-703.
- Beyer A and M.Matthies [2001] Criteria for Atmospheric Long-range Transport Potential and Persistence of Pesticides and Industrial Chemicals. Umweltforschungsplan des Bundesministerium fur Umwelt, Naturschutz und Reaktorsicherheit. Stoffbewertung, Gentechnik, Forderkennzeichen (UFOPLAN) 299 65 402.
- Beyer A. and M. Matthies [2002] Criteria for Atmospheric long-range Transport Potential and Persistence of Pesticides and Industrial Chemicals, Umweltbundesamt.- Berlin: Erich Schmidt, Berichte/Umweltbundesamt, N 7, p. 244.
- Breivik K., A.Sweetman, J.M.Pacyna and K. Jones [2002] Towards a global historical emission inventory for selected PCB congeners – a mass balance approach. 2. Emissions. *The Science of the Total Environment*, v. 290, pp. 199-224.
- Brubaker W.W. and R.A. Hites [1997] Polychlorinated dibenzo-p-dioxins and dibenzofurans: gas-phase hydroxyl radical reactions and related atmospheric removal. *Environ. Sci. Technol.*, v.31, No. 6, pp.1805-1810.
- Brubaker W.W. and R.A. Hites [1998] OH reaction kinetics of gase-phase α - and γ - Hexachlorocyclohexane and hexachlorobenzene, *Environ. Sci. Technol.*, v. 32, No. 6, pp. 766-769.
- Bulgakov A., D.Ioannisian, B.Moisseev, A.Zelenko, Yu.Resnyansky and L.Erdman [1998] Review of physical – chemical properties of polychlorinated dibenzo-p-dioxins (PCDDs) and dibenzofurans (PCDFs) in respect to their long-range transport in the atmosphere // Long-range transport of selected POPs. Part II. Physical-chemical properties of dioxins and furans and factors influencing the transport and accumulation of Persistent Organic Pollutants. EMEP/MSC-E Report 2/98, Part II.
- Chu W. and K.-H.Chan [2000] The prediction of partitioning coefficients for chemicals causing environmental concern, *The Science of the Total Environment*, v. 248, pp. 1-10.
- Dunnivant F.M., A.W.Elzerman, P.C.Jurs and M.N.Hasan [1992] Quantitative Structure-Property Relationships for Aqueous Solubilities and Henry's Law Constants of Polychlorinated Biphenyls, *Environ. Sci. Technol.*, v. 23, No. 10, pp. 1250 – 1253.
- Duyzer J. H. and R.F. van Oss [1997] Determination of deposition parameters of a number of persistent organic pollutants by laboratory experiments. TNO-Report TNO-MEP-R97/150.
- Eisenreich S.J., B.B.Looney and J.D.Thornton [1981] Airborne organic contaminants in the Great Lakes ecosystem. *Environ. Sci. Technol.*, v. 15, pp. 30-38.

- Falconer R.L. and T.F. Bidleman [1994] Vapor pressures and predicted particle/gas distributions of polychlorinated biphenyl congeners as functions of temperature and ortho-chlorine substitution. *Atmos. Environ.*, v.28, pp.547-554
- Franz T.P. and S.J. Eisenreich [1998] Snow scavenging of polychlorinated biphenyls and polycyclic aromatic hydrocarbons in Minnesota. *Environ. Sci Technol.*, v.32, pp.1771-1778.
- Galarneau E., C.V.Audette, A.Bandemehr, I.Basu, T.F.Bidleman, K.A.Brice, D.A.Burniston, C.H.Chan, F.Froude, R.A.Hites, M.L.Hulting, M.Neilson, D.Orr, M.F.Simcik, W.M.J.Strachan and R.M.Hoff [2000] Atmospheric Deposition of Toxic Substances to the Great Lakes: IADN Results to 1996. Environment Canada and the United States Environmental Protection Agency.
- Gouin T., D. Mackay, E. Webster and F. Wania [2000] Screening chemicals for persistence in the environment. *Environ. Sci. Technol.*, v. 34, pp. 881-884.
- Govers H.A.J. and H.B.Krop [1998] Partition constants of chlorinated dibenzofurans and dibenzo-p-dioxins. *Chemosphere*, v.37, N.9-12, pp.2139-2152.
- Harner T. and T.F. Bidleman [1996] Measurements of octanol-air partition coefficients for polychlorinated biphenyls. *Chem. Eng. Data*, v.41, pp.895-899.
- Harner T., H.Kylin, T.F.Bidleman, and M.J.Strachan [1999] Removal of α - and γ -hexachlorocyclohexane and enantiomers of α -hexachlorocyclohexane in the Eastern Arctic Ocean. *Environ. Sci. Technol.*, v.33, pp. 1157-1164.
- Harner T. and D.Mackay [1995] Measurement of octanol-air partition coefficients for chlorobenzenes, PCB, and DDT, *Environ. Sci. Technol.*, v. 29, No.6, pp. 1599 - 1606.
- Harrad S.J and D.J.T.Smith [1997] Evaluation of a terrestrial food chain model for estimating foodstuff concentrations of PCDD/Fs, *Chemosphere*, v. 34, No.8, pp.1723-1737.
- Hawker D.W. and D.W.Connell [1988] Octanol-water partition coefficients of polychlorinated biphenyl congeners. *Environ. Sci. Technol.*, v.22, pp.382-387.
- Hincley D.A., T.F.Bidleman and W.T. Foreman [1990] Determination of vapor pressures for non-polar and semi-polar organic compounds from gas chromatographic retention data. *Chem. Eng. Data*, v.35, No 3, pp.232-237.
- Hoff R.M., W.M.J.Strachan, C.W.Sweet, C.H.Chan, M.Shackleton, T.F.Bidleman, K.A.Brice, D.A.Burniston, S.Cussion, D.F.Gatz, K.Harlin and W.H. Schroeder [1996] Atmospheric deposition of toxic chemicals to the Great Lakes: a review of data through 1994. *Atmos. Environ.*, v. 30, No.20, pp. 3505-3527.
- ten Hulscher Th.E.M., L.E. van der Velde and W.A. Bruggeman [1992] Temperature Dependence of Henry's Law Constants for Selected Chlorobenzenes, Polychlorinated Biphenyls and Polycyclic Aromatic Hydrocarbons. *Environ. Toxicol. Chem.*, v.11, pp.1595-1603.
- Jacobs C.M.J. and W.A.J. van Pul [1996] Long-range atmospheric transport of persistent organic pollutants. 1: Description of surface - Atmosphere exchange modules and implementation in EUROS. National Institute of Public Health and the Environment, Bilthoven, The Netherlands. Report No. 722401013.
- Junge C.E. [1977] Basic considerations about trace constituent in the atmosphere is related to the fate of global pollutant. In: Fate of pollutants in the air and water environment. Part I, I.H. Suffet (ed.) (Advanced in *Environ. Sci. Technol.*, v.8, Wiley-Interscience, New York.
- Karickhoff S. W. [1981] Semiempirical estimation of sorption of hydrophobic pollutants on natural sediments and soil, *Chemosphere*, v.10, pp.833-846.
- Koester C.J. and R.A. Hites [1992] Wet and dry deposition of chlorinated dioxins and furans. *Environ. Sci. Technol.*, v.26, 1375-1382.
- Kucklick J.R., D.A.Hinckley and T.F.Bidleman [1991] Determination of Henry's law constants for hexachlorocyclohexanes in distilled water and artificial seawater as a function of temperature. *Marine chemistry*, v.34, pp.197-209.
- Ligocki M.P., C.Leuenberger and J.F.Pankow [1985] Trace organic compounds in rain - III. Particle scavenging of neutral organic compounds, *Atmos. Environ.*, v. 19, pp. 1619-1626.
- Lindfors V., S.M.Joffe and J.Damski [1991] Determination of the wet and dry deposition of sulphur and nitrogen compounds over the Baltic Sea using actual meteorological data. Finnish Meteorological Institute Contributions No.4, Helsinki.
- Ma J., S.Daggupaty, T.Harner and Y. Li [2003] Impacts of Lindane Usage in the Canadian Prairies on the Great Lakes Ecosystem. 1. Coupled Atmospheric Transport Model and Modeled Concentrations in Air and Soil. *Environ. Sci. Technol.*, 37, 3774-3781.

- Mackay D., W.Y.Shui and K.C.Ma [1992a] Illustrated Handbook of Physical-Chemical properties and environmental fate for organic chemicals, v.1: Monoaromatic Hydrocarbons, Chlorobenzenes, and PCBs'. Lewis Publishers, INC.
- Mackay D., W.Y.Shui and K.C.Ma [1992b] Illustrated Handbook of Physical-Chemical properties and environmental fate for organic chemicals, v.2: Polynuclear aromatic hydrocarbons, Polychlorinated Dioxins, and Dibenzofurans'. Lewis Publishers, INC.
- Mackay D., W.Y.Shui and K.C.Ma [1997] Illustrated Handbook of Physical-Chemical properties and environmental Fate of Organic Chemicals, v. V, Pesticide Chemicals, pp. 431-434, 599 – 571.
- Mackay D., E.Webster, I.Cousins, T.Cahill, K.Foster and T.Gouin [2001] An introduction to multimedia models. Final report prepared As a background paper for OECD Workshop Ottawa, October 2001. CEMC Report No.200102.
- Mantseva E., A.Malanichev and N.Vulykh [2002] Polyaromatic hydrocarbons in the environment. MSC-E Technical Note 9/2002.
- Meylan W.M. and P.H. Howard [1993] *Chemosphere*, v.26: pp.2293-99.
- McLachlan M., J. Czub and F. Wania [2002] The Influence of Vertical Sorbed Phase Transport on the Fate of Organic Chemicals in Surface Soils. *Environ. Sci. Technol.* v. 36, pp.4860-4867.
- McLachlan M. and M.Horstmann [1998] Forests as filters of airborne organic pollutants: a model. *Environ. Sci. Technol.*, v.32, pp.413-420.
- Meneses M., M.Schuhmacher and J.L.Domingo [2002] A desing of two simple models to predict PCDD/F concentrations in vegetation and soils. *Chemosphere*, vol. 46, pp. 1393 – 1402.
- Ngabe B., T.F.Bidleman and R.L.Falconer [1993] Base Hydrolysis of α - and γ - Hexachlorocyclohexane, *Environ. Sci. Technol.*, v. 27, No. 9, pp. 1930-1933.
- Paasivirta J., S. Sinkkonen, P.Mikelson, T.Rantio and F. Wania [1999] Estimation of vapor pressures, solubilities and Henry s law constants of selected persistent organic pollutants as functions of temperature, *Chemosphere*, v. 39, No. 5, pp. 811-832.
- Pacyna J.M. et al. [1999] Final report for Project POPCYCLING-Baltic. EU DGXII, Environment and Climate Program ENV4-CT96-0214. Available on CD-rom including technical report, the emission and environmental databases as well as the POPCYCLING-Baltic model. NILU, P.O. Box 100, N-2027 Kjeller, Norway
- Pankow J.F. [1987] Review and comparative analysis of the theories on partitioning between the gas and aerosol particulate phases in the atmosphere. *Atmos. Environ.*, v.21, pp.2275-2283.
- Pekar M. [1996] Regional models LPMOD and ASIMD. Algorithms, parametrization and results of application to Pb and Cd in Europe scale for 1990 MSC-E Report 9/96, September.
- Pekar M., N. Pavlova, A. Gusev, V. Shatalov, N. Vulikh, D. Ioannisian, S. Dutchak, T. Berg and A.-G. Hjellbrekke [1999] Long-Range transport of selected persistent organic pollutants. EMEP Report 4/99.
- Poerschmann J. and F.-D.Kopinke [2001] Sorption of very hydrophobic Organic Compounds (VHOCs) on dissolved hymic organic matter (DOM). 2. Measurement of sorption and application of Flory-Huggins concept to interpret the data. *Environ. Sci. Technol.*, v.35, pp. 1142-1148.
- Poster D.L. and J.E.Baker [1996] Influence of submicron particles on hydrophobic organic contaminants in precipitation.1. Concentrations and distributions of polycyclic aromatic hydrocarbons and polychlorinated biphenyls in rainwater. *Environ. Sci. Technol.*, v. 30, No.1, pp. 341-348.
- Resnyansky Yu.D. and A.A.Zelenko [1991] Parametrization of the upper mixed layer in an ocean general circulation model. - Izvestiya of the USSR Academy of Sciences. *Atmosphere and Ocean Physics*, v.27, No 10, pp.1080-1088.
- Resnyansky Yu.D. and A.A.Zelenko [1992] Numerical realization of the ocean general circulation with parametrization of the upper mixed layer. Proceedings of the USSR Hydrometcentre, v.323, pp.3-31.
- Resnyansky Yu.D. and A.A. Zelenko [1999] Effects of synoptic variations of atmospheric impacts in the model of ocean general circulation: direct and indirect manifactation. *Meteorology and Hydrology*, No.9, pp.66-71, (*in Russian*).
- Rodan B.D., D.W.Pennington, N.Eckley and R.S. Boethling [1999] Screening for persistent organic pollutants: techniques to provide a scientific basis for POPs criteria in international negotiations. *Environ. Sci. Technol.* v. 33, pp.3482-3488.
- Ruelle P. and U.W. Kesselring [1997] Aqueous solubility prediction of environmentally important chemicals from the mobile order thermodynamics. *Chemosphere*, v. 34, No. 2, pp. 275-298.
- Ruijgrok W. H.Tieben and P.Eisinga [1997] The dry deposition of particles to a forest canopy: a comparison of model and experimental results. *Atmospheric Environment*, v.31, pp. 399-415.

- Schwarzenbach R.P., P.M.Gschwend and D.M.Imboden [1993] Environmental organic chemistry. John Wiley&Sons Inc., New York.
- Sehmel G. A. [1980] Particle and gas dry deposition: a review. *Atmos. Environ.* v.14, pp. 983-1011.
- Sellers P.J., S.O. Los, C.J. Tucker, C.O. Justice, D.A. Dazlich, G.J. Collatz and D.A. Randall [1994] A global 1 by 1 degree NDVI data set for climate studies. Part 2: The generation of global fields of terrestrial biophysical parameters from the NDVI. *International Journal of Remote Sensing*, v.15, No.17, pp.3519-3545.
- Sellers P.J., S.O. Los, C.J. Tucker, C.O. Justice, D.A. Dazlich, G.J. Collatz and D.A. Randall [1995]. A revised land surface parameterization (SiB2) for atmospheric GCMs. Part 2: The generation of global fields of terrestrial biophysical parameters from satellite data. Submitted to *Journal of Climate*.
- Sergeev Yu.N. (ed), A.A.Kolodochka, Hk.D.Krummel, V.P.Kulesh and O.P.Savchuk [1979] Modelling of substance transport and transformation processes in the sea; Modelling of substance transport and transformation processes in the sea. L., published by Leningrad State University, p. 291.
- Shatalov V., A.Malanichev, T.Berg and R.Larsen [2000] Investigation and assessment of POP transboundary transport and accumulation in different media, EMEP Report 4/2000, Part 1,2.
- Shatalov V., A.Malanichev and N.Vulykh [2002] Assessment of POP transport and accumulation in the environment. MSC-E Technical Report 7/2002.
- Shatalov V., M.Fedyunin, E.Mantseva, B.Strukov, N.Vulykh [2003] Persistent organic pollutants in the environment. MSC-E/Technical Report 4/2003.
- Scheringer M. [1997] Characterization of the environmental distribution behavior of organic chemicals by means of persistence and spatial range. *Environ. Sci. Technol.*, v. 31, No. 10, pp. 2891 – 2897.
- Scheringer M. [1996] Persistence and spatial range as endpoints of an exposure-based assessment of organic chemicals. *Environ. Sci. Technol.*, v. 30, pp.1652-1659.
- Sijm D.T.H.M., H.Weaver, P.J. de Vries and A.Opperhuizen [1989] Octan-1-ol/ water partition coefficients of polychlorinated dibenzo-p-dioxins and dibenzofurans: experimental values determined with a stirring method, *Chemosphere*, v.19, N.1-6, pp.263-266.
- Sinkkonen S. and J.Paasivirta [2000] Degradation half-life times of PCDDs, PCDFs and PCBs for environmental fate modelling. *Chemosphere*, v.40, pp.943-949.
- SRC Chemfate [2001] Chemfate Search Result (SRC CSR) (<http://www.syrres.com/>) found via the database ChemIDplus [2001]: <http://chem.sis.nlm.nih.gov/chemidplus>.
- SRC PhysProp Database (SRC PPD) [2001] found via the database ChemIDplus [2001]: <http://chem.sis.nlm.nih.gov/chemidplus>.
- Strukov B., Yu. Resnyansky, A.Zelenko, A.Gusev and V.Shatalov [2000] Modelling long-range transport and deposition of POPs in the European region with emphasis to sea currents. EMEP/MSC-E Report 5/2000.
- Sweetman A.J. and K.C.Jones [2000] Declining PCB concentrations in the U.K. atmosphere: evidence and possible causes. *Environmental Science and Technology*, v.34, No. 5, pp.863-869.
- Thomas G., A.J.Sweetman, W.A.Ockenden, D.Mackay and K.C.Jones [1998a] *Environ. Science and Technology*, v.32, pp.936-942.
- Travnikov O and I. Ilyin [2005] Regional model MSCE-HM of heavy metal transboundary air pollution in Europe. EMEP/MSC-E Technical Report 6/2005, June 2005, www.msceast.org/publications.html.
- Tsibulsky V., V.Sokolovsky, S.Dutchak and V. Shatalov [2001] MSC-E contribution to the HM and POP emission inventories. Technical Note 7/2001. June 2001.
- Tsyro S. and L.Erdman [2000] Parametrization of aerosol deposition processes in EMEP MSC-E and MSC-W transport models. EMEP/MSC-W Technical Note.
- Vassilyeva G. and V. Shatalov [2002] Behaviour of persistent organic pollutants in soil. MSC-E Technical Note 1/2002.
- Wania F. [1997] Modelling Sea-Air Exchange of Persistent Organic Pollutants: Focus on Temperature and Other Seasonal Parameters. In: *Sea-Air Exchange: Processes and Modelling*. Ed. by J.M.Pacyna, D.Broman and E.Lipiatou 1998, pp.161-190.
- Wania F. and J.-E. Haugen [1999] Long term measurements of wet deposition and precipitation scavenging of hexachlorocyclohexanes in Southern Norway, *Environmental Pollution*, v.105, pp. 381-386.
- Webster E., Mackay D. and F. Wania [1998] Evaluating environmental persistence. *Environ. Toxicol. Chem.*, v.17, pp. 2148-2158.