

REFERENCES

- Acker K., Moller D., Wieprecht W., Kalass D., Auel R. [1998] Investigations of ground-based clouds at the Mt. Brocken. Fresenius. *Anal. Chem.* **361**, 59-64.
- Andersson M., Wängberg I., Gårdfeldt K., Munthe J. [2004] Investigation of the Henry's law coefficient for elemental mercury. Proceedings of the 7th Conference "Mercury as a global pollutant". RMZ – Materials and Geoenvironment, Ljubljana, June 2004.
- Andrinache C. [2003] Estimated variability of below-cloud aerosol removal by rainfall for observed aerosol size distributions. *Atmos. Chem. Phys.* **3**, 131-143.
- Ariya P.A., Khalizov A., Gidas A. [2002] Reactions of gaseous mercury with atomic and molecular halogens: kinetics, product studies, and atmospheric implications. *J. Phys. Chem.* **106**, 7310-7320.
- Asman W.A.H. [1995] Parameterization of below-cloud scavenging of highly soluble gases under convective conditions. *Atmos. Environ.* **29**, 1359-1368.
- Banic C. M., W. H. Schroeder and A. Steffen [1999] Vertical distribution of total gaseous mercury in Canada. Book of abstracts, 5th International Conference on Mercury as a Global Pollutant, 23-28 May 1999, Rio de Janeiro.
- Barries L.A. [1985] Scavenging ratios, wet deposition, and in-cloud oxidation: an application to the oxides of sulphur and nitrogen. *J. Geophys. Res.* **90**(D3), 5789-5799.
- Berg T., Sekketer S., Steines E., Valdal A., Wibetoe G. [2001] Arctic springtime depletion of mercury as observed in the European Arctic. Book of Abstracts, 6th International Conference on Mercury as a Global Pollutant, 15-19 October 2001, Minamata, Japan.
- Bott A. [1989a] A positive definite advection scheme obtained by nonlinear renormalization of the advective fluxes. *Monthly Weather Review*, v.117, pp. 1006-1015.
- Bott A. [1989b] Reply to comment on "A positive definite advection scheme obtained by nonlinear renormalization of the advective fluxes." *Monthly Weather Review*, v. 117, pp.2633-2636.
- Brandt J., Christensen J.H., Frohn L.M. [2002] Modelling transport and deposition of caesium and iodine from the Chernobyl accident using the DREAM model. *Atmos. Chem. Phys.* **2**, 397-417.
- Brosset C., Lord E. [1991] Mercury in precipitation and ambient air – a new scenario. *WASP* **56**, 493-506
- Dabdub D. and J.H. Seinfeld [1994] Numerical advective schemes used in air quality models – sequential and parallel implementation. *Atmos. Environ.* v.28, pp.3369-3385.
- Easter R. C. [1993] Two modified versions of Bott's positive-definite numerical advection scheme. *Monthly Weather Review*, v.121, pp.297-304.
- Ebinghaus R., C. Temme, H.H.Kock, A. Löwe and W.H.Schroeder [2001] Depletion of atmospheric mercury concentrations in the Antarctic. Book of Abstracts, 6th International Conference on Mercury as a Global Pollutant, 15-19 October 2001, Minamata, Japan.
- Ebinghaus R., Kock H. H., Temme C., Einax J. W., Löwe A. G., Richter A., Birrows J. P., Schroeder W. H. [2002] Antarctic Springtime Depletion of Atmospheric Mercury. *Environ. Sci. Technol.* **36**, 1238-1244.
- Ebinghaus R., R.M. Tripathi, D.Walischlager and S.E.Lindberg [1999] Natural and anthropogenic mercury sources and their impact on the air-surface exchange of mercury on regional and global scales. In: Ebinghaus R., Turner R. R., Lacerda de L. D., Vasiliev O., and Salomons W. (Eds.) Mercury contaminated sites. Springer, Berlin, 3-50.
- Erismann J.W., van Pul A., Wyers P. [1994] Parameterization of surface resistance for the quantification of atmospheric deposition of acidifying pollutants and ozone. *Atmos. Environ.* **28**, 2595-2607.

- Fitzgerald J.W. [1975] Approximation formulas for the equilibrium size of an aerosol particle as a function of its dry size and composition and the ambient relative humidity. *J. Appl. Meteorol.* **14(6)**, 1044-1049.
- Fitzgerald W.F., Mason R.P., Vandal G.M. [1991] Atmospheric cycling and air-water exchange of mercury over mid-continental lacustrine regions. *WASP* **56**, 745-767.
- Gårdfeldt K., Sommar J., Strömberg D., Feng X. [2001] Oxidation of atomic mercury by hydroxyl radicals and photoinduced decomposition of methylmercury in the aqueous phase. *Atmos. Environ.* **35**, 3039-3047.
- Garrat J.R. [1999] *The atmospheric boundary layer*. Cambridge University Press. 316 p.
- Giorgi F. [1986] A particle dry deposition parameterization scheme for use in tracer transport models. *J. Geophys. Res.* **91**, 9794-9806.
- Hall B. [1995] The gas phase oxidation of mercury by ozone. *WASP* **80**, 301-315.
- Jacobson M. Z. [1999] *Fundamentals of atmospheric modeling*. Cambridge University Press. 656 p.
- Jylhä K. [1991] Empirical scavenging coefficients of radioactive substances released from Chernobyl. *Atmos. Environ.* **25A**, 263-270.
- Kasper A., Puxbaum H., Brantner B., Paleczek S. [1998] Scavenging efficiency of lead and sulfate in supercooled clouds at Sonnblick, 3106 m a.s.l., Austria. *Atmos. Environ.* **23**, 3967-3974.
- Lamborg C. H., Fitzgerald W. F., Vandal G. M., Rolffhus K. R. [1995] Atmospheric mercury in northern Wisconsin: sources and species. *WASP* **80**, 189-198.
- Lin C.-J., Pehkonen S. O. [1999] The chemistry of atmospheric mercury: a review. *Atmos. Environ.* **33**, 2067-2079.
- Lin C.-J., Pehkonen S. O. [1999] The chemistry of atmospheric mercury: a review. *Atmos. Environ.* **33**, 2067-2079.
- Lindberg S. E., Brooks S., Lin C.-J., Scott K. J., Landis M. S., Stevens R. R., Goodsite M., Richter A. [2002] Dynamic oxidation of gaseous mercury in the Arctic troposphere at polar sunrise. *Environ. Sci. Technol.* **36**, 1245-1256.
- Lu J. Y., Schroeder W. H., Barrie L. A., Steffen A., Welch H. E., Martin K., Lockhart W. L., Hunt R. V., Boila G., Richter A. [2001] Magnification of atmospheric mercury deposition to polar regions in springtime: the link to tropospheric ozone depletion chemistry. *Geophys. Res. Letters.* **28(17)**, 3219-3222.
- Lurie Yu. Yu. [1971] *Handbook for Analytical Chemistry*. Khimiya, Moscow, 454 p.
- Marchuk G. I. [1975] *Methods of numerical mathematics*. Springer-Verlag, New York. 316 p.
- McRae G.J., W.R. Goodin and J.H. Seinfeld [1982] Numerical solution of the atmospheric diffusion equation for chemically reacting flows. *Journal of Computational Physics*, v.45, pp.1-42.
- Milford J. B., Davidson C. I. [1985] The size of particulate trace elements in the atmosphere – a review. *JAPCA* **35(12)**, 1249-1260.
- Munthe J. [1992] The aqueous oxidation of elemental mercury by ozone. *Atmos. Environ.* **26A**, 1461-1468.
- Odman M. T. and A.G. Russell [2000] Mass conservative coupling of non-hydrostatic meteorological models with air quality models. In: Gryning S.-E. and Batchvarova E. (Eds.) *Air pollution modelling and its application XIII*. Kluwer Academic/Plenum Publishers, New York, pp. 651-660.
- Okita T., Hara H and Fukuzaki N. [1996] Measurements of atmospheric SO₂ and SO₄, and determination of the wet scavenging of sulfate aerosol for the winter monsoon season over the sea of Japan. *Atmos. Environ.* **30**, 3733-3739.
- Pal B., Ariya P. [2004] Atmospheric transformation of elemental mercury upon hydroxyl radicals under near tropospheric conditions. Proceedings of the 7th Conference "Mercury as a global pollutant". RMZ – Materials and Geoenvironment. Ljubljana, June 2004.

- Peters K., Eiden R. [1992] Modelling the dry deposition velocity of aerosol particles to a spruce forest. *Atmos. Environ.* **26**, 2555-2564.
- Petersen G., Iverfeldt A. and Munthe J. [1995] Atmospheric mercury species over central and northern Europe. Model calculations and comparison with observations from the nordic air and precipitation network for 1987 and 1988. *Atmos. Environ.* **29**, 47-67.
- Petersen G., Munthe J., Pleijel K., Bloxam R. and A.V.Kumar [1998] A comprehensive Eulerian modeling framework for airborne mercury species: Development and testing of the tropospheric chemistry module (TCM). *Atmos. Environ.* **32**(5), 829-843.
- Pleijel K., and Munte J. [1995] Modeling the atmospheric mercury cycle - chemistry in fog droplets. *Atmos. Environ.* **29**, 1441-1457.
- Pryor S.C., Barthelmie R.J., Geernaert L.L.S., Ellermann T., Perry K.D. [1999] Speciated particle dry deposition to the sea surface: results from ASEPS '97. *Atmos. Environ.* **33**, 2045-2058.
- Ragland K.W., Wilkening K.E. [1983] Intermediate-range grid model for atmospheric sulfur dioxide and sulfate concentrations and depositions. *Atmos. Environ.* **17**, 935-947.
- Ruijgrok W., Tieben H., Eisinga P. [1997] The dry deposition of particles to a forest canopy: A comparison of model and experimental results. *Atmos. Environ.* **31**, 399-415
- Ryaboshapko A., Ilyin I., Bullock R., Ebinghaus R., Lohman K., Munthe J., Petersen G., Segneur C., Wangberg I. [2001] Intercomparison study of numerical models for long-range atmospheric transport of mercury. Stage I: Comparison of chemical modules for mercury transformations in a cloud/fog environment. EMEP/MSC-E Technical report 2/2001, Meteorological Synthesizing Centre – East, Moscow, Russia.
- Sander R. [1997] Henry's law constants available on the Web. *EUROTRAC Newsletter* **18**, 24-25 (www.mpch-mainz.mpg.de/~sander/res/henry).
- Schroeder W. H. and Munthe J. [1998] Atmospheric mercury - an overview. *Atmos. Environ.* **32**, 809-822.
- Seigneur C., Wrobel J. and Constantinou E. [1994] A chemical kinetic mechanism for atmospheric inorganic mercury. *Environ. Sci. and Technol.* **28**(9), 1589-1597.
- Seinfeld J.H., Pandis S.N. [1997] *Atmospheric chemistry and physics: From air pollution to climate change*, John Wiley, New York.
- Slemr F. [1996] trends in atmospheric mercury concentrations over the Atlantic ocean and the Wank Summit, and the resulting concentrations on the budget of atmospheric mercury. In: Baeyens W., Ebinghaus R. Vasiliev O. (Eds.), *Global and Regional Mercury Cycles: Sources, Fluxes and Mass Balances*. NATO-ASI-Series, Kluwer Academic Publishers, Dordrecht, The Netherlands, pp. 33-84.
- Slinn S. A., Slinn W.G.N. [1980] Predictions for particle deposition on natural waters. *Atmos. Environ.* **14**, 1013-1016.
- Slinn W.G.N. [1982] Predictions for particle deposition to vegetative canopies. *Atmos. Environ.* **16**, 1785-1794.
- Sommar J., Gårdfeldt K., Feng X., Lindquist O. [1999] Rate coefficients for gas-phase oxidation of elemental mercury by bromine and hydroxyl radicals. In: *Mercury as a Global Pollutant*. 5th International Conference, May 23-28, 1999, Rio de Janeiro, Brazil. Book of abstracts, p. 87.
- Sommar J., Gårdfeldt K., Strömberg D., Feng X. [2001] A kinetic study of the gas-phase reaction between the hydroxyl radical and atomic mercury. *Atmos. Environ.* **35**, 3049-3054.
- Tokos J. J. S., Hall B., Calhoun J. A., and Prestbo E. M. [1998] Homogeneous gas-phase reaction of Hg⁰ with H₂O₂, O₃, CH₃I, and (CH₃)₂S: implications for atmospheric Hg cycling. *Atmos. Environ.* **32**, 823-827.
- Travnikov O. [2001] Hemispheric model of airborne pollutant transport. EMEP/MSC-E Technical Note 8/2001, Meteorological Synthesizing Centre - East, Moscow, Russia.

- Travnikov O., Ryaboshapko A. [2002]. Modelling of mercury hemispheric transport and depositions. EMEP/MSC-E Technical Report 6/2002, Meteorological Synthesizing Centre - East, Moscow, Russia.
- Walton J.J., MacCracken M.C. and Ghan S.J. [1988] A global-scale Lagrangian trace species model of transport, transformation, and removal processes. *J. Geophys. Res.* **93**(D7), 8339-8354.
- Wesely M.L. and Hicks B.B. [2000] A review of the current status of knowledge on dry deposition. *Atmos. Environ.* **34**, 2261-2282.
- Wesely M.L. and Hicks B.B. [2000] A review of the current status of knowledge on dry deposition. *Atmos. Environ.* **34**, 2261-2282.
- Wesely M.L., Cook D.R., Hart R.L. [1985] Measurements and parameterization of particulate sulfur dry deposition over grass. *J. Geophys. Res.* **90**(D1), 2131-2143.
- Williams R.M. [1982] A model for the dry deposition of particles to natural water surfaces. *Atmos. Environ.* **16**, 1933-1938.
- Wu J. [1979] Oceanic whitecaps and sea state. *J. Phys. Oceanogr.* **9**, 1064-1068.
- Yanenko N. N. [1971] *The method of fractional steps. The solution of problems of mathematical physics in several variables.* Springer-Verlag, New York. 160 p.
- Zhang L., Gong S., Padro J., Barrie L. [2001] A size-segregated particle dry deposition scheme for an atmospheric aerosol module. *Atmos. Environ.* **35**, 549-560.