

Matrix of lead country-to-country depositions in 2006, kg/y

Receptors ↙ Emitters →

	AL	AM	AT	AZ	BA	BE	BG	BY	CH	CS	CY	CZ	DE	DK	EE	ES	FI	
AL	6997	0.7	13.8	0.9	271.9	12.8	1096.7	19.7	19.9	2765	1.6	31.3	31.9	1.2	5.4	220.8	2.8	AL
AM	6.5	1033	0.9	463.0	6.7	1.7	19.1	4.6	1.5	17.7	8.4	2.1	3.4	0.2	1.5	14.1	0.8	AM
AT	113.2	1.0	4345	2.4	589.7	459.5	334.5	91.7	986	1118	0.5	1731	2766	20.7	29.6	491.1	15.5	AT
AZ	11.1	255.2	1.9	2787	12.2	4.0	37.6	21.8	3.0	33.9	11.9	5.2	8.2	0.6	5.8	24.7	2.7	AZ
BA	855.7	0.8	152.3	2.0	17630	70.4	627.6	48.0	85.8	6042	0.8	371.1	240.0	7.7	13.3	446.0	7.8	BA
BE	6.5	0.1	23.4	0.1	18.8	11424	11.8	10.2	88.8	26.4	0.0	44.2	989.7	8.1	11.9	457.1	7.4	BE
BG	927.7	9.0	59.8	17.2	760.0	46.6	46811	218.6	50.7	7190	12.6	178.2	144.4	7.6	36.2	303.0	17.7	BG
BY	162.3	5.7	181.7	14.7	501.4	364.9	675.5	20641	159.4	1303	0.6	894.9	889.8	88.4	656.6	388.2	211.6	BY
CH	33.1	0.1	71.5	0.3	129.2	286.7	66.9	8.6	5518	160.5	0.1	59.7	600.3	4.9	5.3	647.5	3.7	CH
CS	2750	2.6	145.9	5.1	4060	91.4	5050	96.8	87.1	43837	4.5	424.6	295.9	11.5	22.6	453.1	12.8	CS
CY	5.9	1.0	0.3	0.6	3.7	0.4	11.2	1.0	0.5	10.2	298.7	0.6	0.9	0.0	0.2	4.3	0.1	CY
CZ	54.5	1.0	862.9	2.5	261.1	510.6	267.5	135.8	402.6	691.9	0.3	9967	2958	36.5	30.5	292.3	13.6	CZ
DE	89.5	1.4	1151	3.4	321.5	12433	233.7	180.6	4305	626.8	0.3	2899	46206	302.5	136.0	2805	64.8	DE
DK	7.7	0.2	16.9	0.5	19.1	667.6	23.0	18.1	34.9	40.6	0.0	81.1	937.8	678.1	19.9	196.7	7.3	DK
EE	11.3	0.3	29.8	0.6	40.6	160.8	34.2	315.4	38.8	93.8	0.0	157.5	326.8	34.5	3889	63.0	285.8	EE
ES	185.1	0.3	45.6	0.6	349.0	442.0	200.0	11.3	190.2	431.1	0.2	73.7	267.5	7.7	4.7	84601	4.0	ES
FI	24.0	2.1	51.2	4.8	59.8	418.1	92.9	488.3	84.7	174.5	0.2	301.0	790.4	126.6	3044	255.7	10091	FI
FR	374.2	1.0	245.9	2.2	980.5	7372	478.2	57.2	2700	1176	0.6	405.2	4003	36.2	40.0	25732	23.6	FR
GB	41.0	0.2	57.3	0.5	77.6	2517	79.6	51.5	158.6	148.6	0.1	153.5	1337	38.2	48.0	2518	23.3	GB
GE	25.2	412.6	5.5	748.5	35.4	10.6	170.6	39.1	6.4	126.1	17.6	19.0	22.1	1.4	7.0	44.1	3.3	GE
GR	1475	6.1	34.7	8.5	424.0	30.9	6384	113.0	43.2	2523	26.1	93.7	84.0	4.3	18.0	431.1	9.5	GR
HR	455.9	0.9	274.2	2.0	3578	68.3	462.7	46.9	98.5	2876	0.7	444.9	264.6	6.9	10.6	502.1	5.7	HR
HU	280.1	1.4	481.6	3.1	1893	145.8	1127	112.8	141.7	6057	1.4	1003	540.6	16.3	18.5	420.7	10.2	HU
IE	8.7	0.0	9.9	0.1	16.8	303.1	15.9	10.6	25.6	28.7	0.0	29.2	198.1	3.6	6.7	490.9	2.7	IE
IS	0.3	0.0	1.7	0.0	0.8	62.4	0.7	2.6	12.6	1.3	0.0	4.9	45.9	2.2	1.6	154.6	3.2	IS
IT	1606	2.4	549.2	4.8	3040	250.5	1764	103.4	1254	3653	4.8	601.7	864.7	16.5	32.1	2830	18.7	IT
KY	10.3	26.5	1.8	64.3	10.8	5.2	25.5	11.7	3.7	26.9	6.9	5.0	9.8	0.5	6.6	39.2	3.6	KY
KZ	167.1	354.4	56.9	1115	296.9	141.2	853.6	558.8	88.1	821.8	34.6	173.8	271.8	19.3	246.2	437.4	126.9	KZ
LT	34.1	0.6	73.5	1.5	86.8	254.2	126.8	1381	71.8	235.6	0.1	405.3	561.5	57.9	203.6	143.4	80.5	LT
LU	0.9	0.0	3.2	0.0	2.6	258.4	1.3	1.0	13.9	3.4	0.0	5.7	131.0	0.5	0.5	49.6	0.3	LU
LV	25.0	0.5	57.2	1.2	73.6	241.9	76.8	787.3	64.5	179.1	0.1	316.0	534.3	57.6	656.0	119.1	147.1	LV
MC	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.0	0.2	0.0	MC
MD	80.4	3.5	13.0	9.2	113.7	16.5	630.4	134.2	12.9	448.3	1.3	49.7	50.4	4.5	16.2	59.8	8.2	MD
MK	1501	0.8	12.5	1.3	197.6	9.9	3259	23.8	12.8	3118	2.4	36.5	29.4	1.2	5.5	96.9	2.9	MK
MT	0.6	0.0	0.0	0.0	0.5	0.1	0.7	0.0	0.1	1.0	0.0	0.1	0.1	0.0	0.0	1.2	0.0	MT
NL	5.0	0.0	16.9	0.1	14.2	5558	9.1	7.1	44.8	22.1	0.0	37.1	1201	13.1	9.4	387.3	5.6	NL
NO	39.3	2.1	86.0	4.9	97.1	1255	114.0	201.3	137.3	212.3	0.2	345.9	1512	274.9	228.2	824.6	232.6	NO
PL	180.4	4.5	818.7	11.6	836.4	1773	809.8	2436	637.4	2204	0.7	8370	6585	433.7	240.6	895	125.5	PL
PT	11.2	0.0	4.4	0.1	24.8	47.4	12.7	0.9	16.3	26.8	0.0	7.9	29.6	0.9	0.4	6367	0.4	PT
RO	1111	21.0	259.0	50.6	2707	203.7	7537.1	606.7	189.2	12141	11.8	752	624.4	27.9	89.1	768.5	43.6	RO
RU	1117	721.2	536.1	2599	2015	1747	5389	16068	669.6	5813	79.3	2234	3596	393.7	16687	2459	5265	RU
RUA	241.7	263.4	103.3	661.4	371.4	304	902.2	912.6	166.8	990.2	25.2	337.9	630	50.9	674.1	826.4	449	RUA
SE	36.0	2.7	127.7	6.2	118.8	1758	110.3	722.6	213.8	270	0.2	644.4	2847	1010	1102	725.5	2237	SE
SI	79.8	0.3	329.4	0.8	452.6	37.7	147.6	18.2	61.2	564	0.2	204	174.4	2.8	4.6	210.7	2.3	SI
SK	127.9	0.9	339.8	2.4	735.4	143.5	545.7	133.4	115.6	2016	0.4	1837	520.1	17.7	16.6	202.9	9.9	SK
TJ	3.1	8.7	0.6	24.8	3.4	1.6	7.7	3.5	1.2	8	2.4	1.6	3.0	0.2	1.8	12.4	1.0	TJ
TM	5.4	46.5	1.6	194.7	6.6	4.6	19.0	14.1	3.3	17.8	4.1	4.8	8.6	0.6	6.3	18.6	3.0	TR
TR	666.8	707.1	56.7	380.8	506	74.4	2715	299	85.4	1757	497.4	132	167	8.4	47.0	784.3	25.0	TU
UA	849.8	56.6	317.3	153.2	1744	418.6	5326	5083	268.7	5504	16.4	1358	1230	105.5	444.7	1017	192.9	UA
UZ	6.4	42.1	1.7	146.2	8.1	5	20.8	17.6	3.8	20.8	4.5	6	10	0.7	8	23.1	4	UZ
BAS	50.8	1.7	182.2	3.9	179.9	2371	163	966.5	310.5	408	0.2	1043	4849	961.2	3209	827.3	3015	BAS
BLS	508.2	79.3	67.7	122	518.1	77.2	4147.8	550.7	75.0	2269	40.3	199.2	213.4	20.3	64.4	318.1	32.1	BLS
CAS	20	168.9	6.0	1492	26	15.8	113	97.2	11	87	10.6	24.5	34	3.2	31.5	35	13.3	CAS
MDT	7851	50.0	468.2	45.1	6127	580	9139.0	319.5	882.6	10319	924.3	792.4	981	26.2	60.6	17961	32.9	MDT
NOS	133.6	3.109	248.3	6.731	277.55	9355.7	296.88	188.69	508.55	561.28	0.382	757.01	5772.2	679.2	209	5522.8	94.66	NOS

Matrix of lead country-to-country depositions in 2006, kg/y (continued)

	Receptors↙			Emitters⇒														
	FR	GB	GE	GR	HR	HU	IE	IS	IT	KY	KZ	LT	LU	LV	MC	MD		MK
AL	91.2	14.4	0.8	5205	24.1	71.3	2.1	0.00	1779	0.04	2.5	1.6	0.4	4.3	0.1	7.7	2975	AL
AM	5.3	2.0	184.4	112.7	0.8	2.9	0.2	0.0	31.6	1.8	23.1	0.3	0.0	0.7	0.0	0.9	9.8	AM
AT	872.1	350.9	1.4	474.7	222.5	702	30.6	0.0	6020	0.08	3.5	10.4	21.1	33.7	0.3	8.8	168.5	AT
AZ	10.0	5.5	270.5	181.9	1.6	6.2	0.6	0.0	55.1	12.3	92	1.4	0.1	3.5	0.00	2.2	16.9	AZ
BA	249.5	72.5	1.5	1995	566	1146	8.2	0.02	3580	0.07	4.6	5.4	2.3	14.7	0.3	10.6	496.9	BA
BE	4060	994	0.1	21.4	4.4	10.5	64.8	0.0	202.5	0.0	0.7	1.2	113.0	4.0	0.0	0.3	7.3	BE
BG	151.4	52.2	20.1	14532	69.3	479.4	6.4	0.02	1477	0.6	34.7	13.2	1.5	32.9	0.1	152.0	3751	BG
BY	484.8	391.7	11.8	828	96.2	644.6	36.4	0.1	1375	1.0	30.8	684.6	9.1	798.2	0.1	131.0	268.6	BY
CH	1610	228.1	0.2	109.9	37.1	45.7	24.8	0.02	6438	0.01	0.5	1.1	15.4	4.4	0.6	1.2	37.2	CH
CS	262.5	99.7	4.7	5992	251.1	1716	11.1	0.02	3494	0.2	10.9	9.3	2.8	24.8	0.2	41.2	4026	CS
CY	2.3	0.5	0.8	201.1	0.4	1.1	0.07	0.0	20.0	0.0	0.2	0.06	0.01	0.1	0.0	0.3	9.1	CY
CZ	695.8	402.3	1.4	252.5	95.7	754.5	35.8	0.1	1211	0.1	3.7	18.4	18.8	51.6	0.1	7.6	108.2	CZ
DE	11646	5580	1.7	355.0	74.2	322.3	422.8	0.4	3489	0.2	9.3	41.3	509.3	196.5	0.5	8.5	119.1	DE
DK	520.2	837.4	0.3	37.2	4.2	30.5	62.8	0.1	116.0	0.02	0.7	5.6	8.1	28.4	0.02	1.2	12.3	DK
EE	153.5	140.6	0.4	36.9	8.7	55.2	11.5	0.03	172.8	0.0	1.9	119.8	3.3	685.7	0.02	3.7	14.6	EE
ES	2729	473.1	0.5	897.9	65.4	102.2	90.2	0.1	3226	0.04	2.6	1.3	9.3	4.6	0.5	3.5	183.5	ES
FI	424.6	633.3	2.4	108.7	12.1	96.5	57.6	0.3	266.4	0.3	7.1	129.6	8.4	624.2	0.0	11.4	38.5	FI
FR	44409	4420	1.6	1380	222.6	347.5	513.4	0.3	12192	0.1	7.0	7.2	355.8	25.5	8.3	7.8	370.5	FR
GB	2974	24337	0.4	118.1	14.9	45.3	1920	0.7	544.2	0.03	3.2	8.9	30.5	37.6	0.1	2.0	49.3	GB
GE	21.2	17.2	2243	441.8	4.7	24.2	2.2	0.0	122.7	2.1	36.2	2.6	0.2	6.4	0.01	12.9	47.1	GE
GR	177.4	36.3	9.2	87175	42.0	194.4	4.8	0.01	1884	0.4	20.3	6.8	1.1	17.0	0.1	50.6	4633	GR
HR	255.2	69.4	1.6	1395	1792	1443	7.3	0.02	4259	0.08	4.0	4.8	2.5	12.4	0.3	8.7	308.3	HR
HU	293.3	130.7	3.0	1152	588	9879	12.8	0.02	2993	0.1	5.9	10.5	4.9	25.4	0.2	20.4	523.0	HU
IE	339.5	893	0.1	19.2	2.9	6.3	2580	0.1	104.6	0.00	0.5	1.7	5.1	6.1	0.01	0.4	9.8	IE
IS	100.4	134.4	0.0	1.7	0.4	0.9	40.9	37.1	30.8	0.03	0.3	0.3	1.4	1.1	0.01	0.0	0.4	IS
IT	1975	230.9	4.0	7540	778	930.2	29.8	0.0	85680	0.2	12.1	10.3	10.3	32.6	5.0	28.3	1418	IT
KY	14.6	6.2	21.1	144.4	1.5	5.6	0.7	0.00	55.8	11888	3524	0.9	0.2	2.3	0.01	1.3	14.8	KY
KZ	236.5	196.3	404.7	1586	35.3	186.8	22.0	0.2	898.5	6502	31325	36.4	3.5	103.1	0.1	74.4	287.3	KZ
LT	282.6	252.6	1.0	157.8	17.4	127.8	21.3	0.0	332.6	0.1	4.3	1490	5.7	1141	0.04	18.8	55.9	LT
LU	426.8	53.1	0.01	2.6	0.6	1.5	3.9	0.00	29.9	0.0	0.1	0.1	124.4	0.3	0.01	0.0	0.9	LU
LV	250.8	231.7	0.8	106.5	14.8	99.0	18.3	0.0	289.7	0.1	3.8	609.3	5.1	3855	0.03	9.5	35.4	LV
MC	0.5	0.01	0.0	0.2	0.03	0.04	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.02	0.0	0.05	MC
MD	33.0	18.7	7.4	824.8	12.5	72.2	2.0	0.01	231.6	0.3	14.9	7.7	0.5	17.6	0.02	821.8	163.0	MD
MK	47.2	10.3	1.2	8424	16.4	91.7	1.3	0.0	615.8	0.04	3.4	1.8	0.3	4.5	0.0	9.8	13771	MK
MT	0.7	0.1	0.0	8.4	0.1	0.1	0.0	0.0	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	MT
NL	2087	1257	0.1	15.5	3.1	8.8	78.7	0.1	137.0	0.0	0.6	1.4	16.1	6.2	0.03	0.3	5.7	NL
NO	1192	2830	2.2	143.3	19.6	152.6	307.3	1.4	569.5	0.2	4.3	41.3	19.3	157.7	0.1	11.5	58.6	NO
PL	1954	1487	6.2	802.5	229.2	1961	138.5	0.2	2782	0.7	23.9	298.6	46.8	619.1	0.3	64.8	314.1	PL
PT	165.7	56.5	0.05	58.6	5.0	7.4	13.4	0.02	210.7	0.0	0.1	0.1	0.9	0.5	0.03	0.26	12.1	PT
RO	461.0	200.0	43.2	6858	283.5	2301	22.2	0.1	4074	1.4	70	40.8	6.6	98.4	0.3	703.7	2038	RO
RU	2240	2308	1781	10800	292.5	1707	227.9	1.2	5873	124	8977	1062	39.0	2812	0.6	533.5	2068	RU
RUA	494	408	294.9	2200	53.6	297.5	48.2	0.8	1371.2	1390	18058	76.1	7.9	231.5	0.2	76.9	407.1	RUA
SE	1545	2092	2.9	139.4	26.0	203.5	179.7	0.70	703	0.3	8.1	200.5	29.6	974.9	0.1	24.2	53.7	SE
SI	122.6	32.9	0.5	300.8	414.3	319	3.2	0.01	2885	0.0	1.3	1.8	1.5	5.4	0.2	3.3	79.6	SI
SK	236.0	115.0	1.5	531.2	219.8	2946	11.2	0.0	1588	0	6	13.3	5.0	28.9	0.1	12.6	233.7	SK
TJ	4.4	1.8	7.0	44	0.5	1.7	0.2	0.00	17	1015	672	0.3	0.0	0.7	0.0	0.4	4	TJ
TM	8.7	7.3	54.7	79.3	1.0	4.6	0.8	0.0	36.1	168.9	555	0.9	0.1	2.5	0.0	1.8	8.1	TM
TR	332.1	95.4	466.1	21452	57.7	217	12.9	0.0	2525	6.2	107	17.3	2.3	39.3	0.2	108	1262	TR
UA	734.4	459.0	148.2	7612	275.4	2102	48.5	0.14	3737	7	323	223.6	12.8	446.8	0.3	1083	1737	UA
UZ	10	8	46.3	89.8	1.1	5.8	0.9	0.0	42.9	1399	2439	1.1	0.1	3	0.0	2.3	9.4	UZ
BAS	2079	1995	2.0	176	40.4	263.2	159.8	0.23	953	0.2	8	424.6	46.4	3100	0.1	29.9	75	BAS
BLS	178.8	124.0	455.6	9363	54.0	276.0	16.4	0.06	1362	5.4	137	32.5	2.0	79.9	0.1	357.3	1166	BLS
CAS	25	27.0	251.8	278	3	21	2.8	0.0	108	95.9	525.0	6.6	0.3	17.5	0.0	11.0	35	CAS
MDT	5483	618	54.7	124981	996.5	1402	91.4	0.1	53225	3.1	77.1	21.7	19.2	60.2	4.8	138.7	6934	MDT
NOS	9586	26067	4.0	441.2	57.5	313.5	1662	2.2	2075	0.4	8.2	43.3	93.0	179.3	0.4	12.5	173.2	NOS

Matrix of lead country-to-country depositions in 2006, kg/y (continued)

	Receptors ↘		Emitters ↗														Total, t	
	MT	NL	NO	PL	PT	RO	RU	SE	SI	SK	TJ	TM	TR	UA	UZ			
AL	5.04	6.12	0.8	293.7	52.4	282.6	81.7	2.0	26.9	108.0	0.1	1.2	313.1	312.5	1.6	23.2	AL	
AM	0.19	0.84	0.2	26.4	5.0	18.5	148.6	0.4	1.5	5.3	3.6	86	1614	86.9	68.6	4.0	AM	
AT	1.4	215.5	9.1	7223	156	387.4	144.5	18.2	1412	2128	0	2.8	125.0	425.1	3.3	34.3	AT	
AZ	0.31	2.16	0.7	74.6	8.6	43.8	752.3	1.5	2.8	12.0	21.0	385	1898	293.9	323.6	7.7	AZ	
BA	3.6	38.3	3.9	2611	120	745.4	132	8.2	246.3	1232	0	2.8	261.5	535.3	3.6	40.7	BA	
BE	0.1	991.8	6	286.1	113.0	12.3	28.5	6.3	11.1	22.2	0.0	0.1	5.1	17.1	0.1	20.1	BE	
BG	4.7	26.1	4.9	1854	86	7094	989	13	90.1	692.7	0.5	22	4944	4429	27	97.8	BG	
BY	1.2	208.8	46.6	18645	118	1772	3468	175	205.8	1868	1	14	645.4	9336	20	69.5	BY	
CH	0.7	96.5	2.1	433.5	171.2	53.0	23.8	3.7	113.6	80.7	0.0	0.3	21.25	56.7	0.4	17.2	CH	
CS	5.4	52.2	5.5	3296	119	3701	315	13.3	196.3	1669	0	8	953.5	1303	9.9	84.9	CS	
CY	0.1	0.2	0.0	6.61	1.1	7.3	8.9	0.1	0.5	1.8	0.0	0.3	593.3	16.8	0.3	1.2	CY	
CZ	0.4	308.6	13.7	26572	100	345.3	160.5	23.1	297.5	2371	0	2.9	96.5	381.6	3.6	50.8	CZ	
DE	1.1	7316	82	17230	845	332.9	335.0	123.2	212.8	728.9	0.3	3.3	105.7	440.6	4.1	122.3	DE	
DK	0.0	562.3	21.4	1071	51	39.3	33.1	70.9	10.6	65.2	0.0	1.0	11.72	59.9	1.1	6.4	DK	
EE	0.1	94.2	19.0	2762	14	74.9	569.7	106.9	22.5	140.3	0.0	0.7	19.0	277.8	0.8	11.0	EE	
ES	8.0	168.4	4.8	534.9	17838	128	41.7	6.6	127.0	157.3	0.0	0.7	137.79	148.8	1.0	113.9	ES	
FI	0.2	260.3	220.9	5089	70	215.5	2333	1307	30	253.7	0.3	7.6	91.8	776.1	9.2	29.1	FI	
FR	8.7	1809	24	2605	3879	367	150.7	29.3	473.7	575.5	0.1	2.0	258.0	378.1	2.6	118.5	FR	
GB	0.2	1287	31	1315	976	69.6	131.2	30.5	35.0	95.5	0.1	0.3	25.22	107.5	0.5	41.4	GB	
GE	0.6	6.0	1.4	282.6	16.3	283.1	1250	3	8.1	56.2	3.7	139	5711	761.0	109.0	13.3	GE	
GR	15.8	16.0	2.9	900.4	102	1473	621	7.0	56.6	309.6	0.4	9	6021	2457	13	118.0	GR	
HR	3.5	34.2	3.7	2741	129	532.2	117	6.2	1039	1407	0	2.6	230.60	451.8	3.4	25.4	HR	
HU	1.9	80.8	6.8	6664	109	2432	236	12.7	782.5	9028	0	4.2	381.02	1222	5.5	48.9	HU	
IE	0.0	137.6	3.1	236.5	290.4	10.3	22.5	3.0	6.1	12.1	0.0	0.0	5.5	16.73	0.1	5.9	IE	
IS	0.0	29.4	8.3	49.3	96.0	1.2	12.2	3.7	1.6	2.8	0.0	0.1	0.93	4.1	0.2	0.9	IS	
IT	29.7	116.0	7.9	4432	719	1076	363	18.4	2059	1466	0.3	5	1319.8	1284.6	7.1	128.2	IT	
KY	0.3	2.5	0.8	62.7	13.0	24.2	441.4	1.5	2.6	10.2	7905	657.9	739	126.4	19571	45	KY	
KZ	2.6	73.9	30.5	2551	156	1222	28039	61	66.0	407.3	8665	5494	7547	7434	38850	148	KZ	
LT	0.3	146.0	23.7	8540	37	268.6	672.7	110.9	48.5	411.5	0.1	1.9	73.6	899.8	2.4	18.9	LT	
LU	0.0	31.6	0.3	32.9	13.2	1.5	2.1	0.4	1.4	3.0	0.0	0.0	0.7	1.80	0.0	1.21	LU	
LV	0.2	141.0	25.0	5889	31	164.4	633.5	134.5	38.7	284.4	0.1	1.4	51.8	638.8	1.9	16.9	LV	
MC	0.0	0.0	0.00	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	MC	
MD	0.5	10.1	2.6	946.5	17.4	2165	412	8.7	19.7	160.2	0.4	10.1	911.4	2984	12	11.5	MD	
MK	1.9	5.2	0.8	324.2	25.9	385.7	100.5	1.9	18.8	128.3	0.0	2.2	583.48	360.5	2.8	33.3	MK	
MT	5.2	0.0	0.00	0.5	0.2	0.4	0.2	0.0	0.12	0.2	0.0	0.0	3.1	0.7	0.0	0.0	MT	
NL	0.0	5307	7	270.0	95.2	10.7	21.0	7.4	8.2	17.4	0.0	0.1	3.7	13.7	0.1	16.7	NL	
NO	0.2	843.8	2431	3979	207	259.2	534.1	450.6	52.0	383.2	0.2	9.5	86.8	591.7	10.6	20.9	NO	
PL	1.5	1014	101	221071	262	2122	1389	281	604.3	7445	1	12.9	375.9	4370	16.8	276.2	PL	
PT	0.5	19.5	0.6	58.7	46023	8	2.4	0.9	10.4	12.8	0.0	0.0	7.8	8.3	0.1	53.2	PT	
RO	5.7	114.2	15.4	8532	193	44445	1971	40	383.2	3860	1	62	4916	10780	75	119.7	RO	
RU	12.4	1021	457	37812	797	8272	257998	1479	579	4153	202	2742	28279	71523	3999	528	RU	
RUA	3.5	166.6	111	4713	304	1342	165951	184.9	107	643.3	1705	1921	6921	6613	7242	231.3	RUA	
SE	0.3	1199	943.7	9766	187	344.9	1462	5786	70.5	540	0.3	10.9	114.47	1333	12.7	39.9	SE	
SI	1.0	17.2	1.4	1161	54	165.9	44	2.4	3937	508.3	0	1.0	56.7	151.0	1.2	12.6	SI	
SK	0.8	78.5	6.7	16528	61.8	1070	171.2	13.7	467.7	14906	0.1	3.4	158	874.5	4.5	47	SK	
TJ	0.1	0.8	0.2	20.4	4	7.8	129	0	0.8	3.3	12425	578	233.5	38.4	9063	24.4	TJ	
TM	0.2	2.7	0.8	67.2	7.1	28.2	565.2	1.5	2.1	10.6	1201	5176	666	189	7255	16	TM	
TR	22.2	38.0	7.1	1578	202	2352	3789	17	93.7	399.7	12	225	161252	6962	213	212.8	TR	
UA	6.4	234.1	58.2	28358	285.0	12154	12782	170	445.9	5500	10.8	162.8	10724	104890	226.6	219	UA	
UZ	0.2	2.7	1	84.2	9	33.0	714.5	2	2	13.5	6754	2258	679.1	224.9	29850	45.0	UZ	
BAS	0.4	1522	163.8	19370	190	427.0	1737	1780	106.9	697.6	0.2	7	95.3	1360	8	55.4	BAS	
BLS	6.3	46.8	14.8	3369	89.1	5334	6775	37	96.0	615.7	6.6	98	30590	19214	141	89	BLS	
CAS	0.4	10.1	3.3	401.7	11	170	3156	8	7.0	53	171	1875	2474	1412	1841	15.2	CAS	
MDT	334.4	253.8	18	5876	3065	4219	2029	33.1	1447	2160	3.5	29.8	46144	7096	49.4	323.4	MDT	
NOS	0.742	7306	631.0	7762	1681	434.85	360.7	341.87	152.86	723.21	0.40	10.19	168.477	661.654	11.9	85.58	NOS	